

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	@ad<="20031230" orthogonal near set\$2 access near point\$2 sdma	US-PGRUB; USPAT	AND	OFF	2007/06/04 16:07
S2	2	@ad<="20031230" orthogonal near set\$2 access near point\$2 sdma 370/203,204,208,209.ccls.	US-PGRUB; USPAT	AND	OFF	2007/06/04 16:07
S3	2	@ad<="20031230" orthogonal near3 set\$2 access near point\$2 sdma 370/203,204,208,209.ccls.	US-PGRUB; USPAT	AND	OFF	2007/06/04 16:07
S4	3	@ad<="20031230" orthogonal near3 set\$2 access near3 point\$2 sdma 370/203,204,208,209.ccls.	US-PGRUB; USPAT	AND	OFF	2007/06/04 16:08
S5	14	@ad<="20031230" orthogonal near3 set\$2 access near3 point\$2 sdma	US-PGRUB; USPAT	AND	OFF	2007/06/04 16:08
S6	11	@ad<="20031230" orthogonal near set\$2 access near3 point\$2 sdma	US-PGRUB; USPAT	AND	OFF	2007/06/04 16:09
S7	3	@ad<="20031230" (orthogonal near set\$2) same (users or devices) sdma	US-PGRUB; USPAT	AND	OFF	2007/09/24 14:14
S8	5	@ad<="20031230" (orthogonal near3 set\$2) same (users or devices) sdma	US-PGRUB; USPAT	AND	OFF	2007/06/04 16:14
S9	5	@ad<="20031230" (orthogonal with set\$2) same (users or devices) sdma	US-PGRUB; USPAT	AND	OFF	2007/06/04 16:16
S10	75	@ad<="20031230" (orthogonal) same (users or devices) sdma	US-PGRUB; USPAT	AND	OFF	2007/06/04 16:16
S11	57	@ad<="20031230" (orthogonal) same (users or devices) sdma sets	US-PGRUB; USPAT	AND	OFF	2008/01/30 08:31
S12	3	@ad<="20031230" (orthogonal) same (users or devices) sdma sets predetermined near4 criterion	US-PGRUB; USPAT	AND	OFF	2007/06/04 16:17
S13	3	@ad<="20031230" (orthogonal) same (users or devices) sdma sets predetermined near4 criter\$5	US-PGRUB; USPAT	AND	OFF	2007/06/04 16:18
S14	3	@ad<="20031230" (orthogonal) same (users or devices) sdma sets predetermined with criter \$5	US-PGRUB; USPAT	AND	OFF	2007/06/04 16:18
S15	8	@ad<="20031230" (orthogonal) same (users or devices) sdma sets determined with criter\$5	US-PGRUB; USPAT	AND	OFF	2007/06/04 16:18
S16	4	@ad<="20031230" (orthogonal near3 set\$2) same (users or devices) sdma antenna near3 beam\$2	US-PGRUB; USPAT	AND	OFF	2007/09/24 16:20
S17	37	@ad<="20031230" (orthogonal near3 set\$2) sdma antenna near3 beam\$2	US-PGRUB; USPAT	AND	OFF	2007/09/24 14:20
S18	1	@ad<="20031230" (orthogonal near3 set\$2) ack same time sdma antenna near3 beam\$2	US-PGRUB; USPAT	AND	OFF	2007/09/24 16:22
S19	11	@ad<="20031230" ack same time sdma antenna near3 beam\$2	US-PGRUB; USPAT	AND	OFF	2007/09/24 17:07
S20	0	@prad<="20031230" (orthogonal near3 set\$2) ack same time sdma antenna near3 beam\$2	US-PGRUB; USPAT	AND	OFF	2007/09/24 16:22
S21	0	@rlad<="20031230" (orthogonal near3 set\$2) ack same time sdma antenna near3 beam\$2	US-PGRUB; USPAT	AND	OFF	2007/09/24 16:22

S22	3	@ad<="20031230" stephens-adrian.in.	US-PGRUB; USPAT	AND	OFF	2007/09/24 17:07
S23	0	@ad<="20031230" li-ainghua.in.	US-PGRUB; USPAT	AND	OFF	2007/09/24 17:08
S24	26	@ad<="20031230" ho-minnie.in.	US-PGRUB; USPAT	AND	OFF	2007/09/24 17:08
S25	34	@ad<="20031230" (orthogonal) same (users or devices) sdma sets critier\$3	US-PGRUB; USPAT	AND	OFF	2008/01/30 08:31
S26	1	@ad<="20031230" (orthogonal) same (users or devices) sdma sets with critier\$3	US-PGRUB; USPAT	AND	OFF	2008/01/30 08:32
S27	11	@ad<="20031230" (orthogonal) same (users or devices) sdma sets same critier\$3	US-PGRUB; USPAT	AND	OFF	2008/01/30 08:32
S28	17	@ad<="20031230" (orthogonal) same (users or devices) sdma set same critier\$3	US-PGRUB; USPAT	AND	OFF	2008/01/30 08:32
S29	85	@ad<="20031230" (orthogonal) same (users or devices) sdma	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/09 14:58
S30	24	@ad<="20031230" (orthogonal) same (users or devices) sdma access near4 point	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/09 14:58
S31	5	@ad<="20031230" (orthogonal) same (users or devices) sdma access near4 point exchang\$4	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/09 14:59
S32	24	@ad<="20031230" (orthogonal) same (users or devices) sdma access near4 point	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/09 15:01
S33	35	@ad<="20031230" (orthogonal) same (set\$2) sdma access near4 point	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/09 15:04
S34	33	@ad<="20031230" orthogonal with set\$2 sdma access near4 point	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/09 15:05
S35	48	@ad<="20031230" orthogonal with set\$2 sdma exchange select\$5 with critier\$4	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:14

S36	1	@ad<="20031230" orthogonal with sdma exchange select\$5 with criter\$4	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:15
S37	0	@prad<="20031230" orthogonal with sdma exchange select\$5 with criter\$4	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:15
S38	0	@rlad<="20031230" orthogonal with sdma exchange select\$5 with criter\$4	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:15
S39	1	@ad<="20031230" (orthogonal near4 set) same sdma select\$5 with criter\$4	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:16
S40	1	@ad<="20031230" (orthogonal near4 set) same sdma select\$5 same criter\$4	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:16
S41	61	@ad<="20031230" (orthogonal near4 set) sdma select\$5 same criter\$4	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:16
S42	60	@ad<="20031230" (orthogonal near4 set) sdma select\$5 with criter\$4	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:16
S43	0	@ad<="20031230" sdma with (transmission near6 criter\$4) exchang\$2 with set\$2	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:19
S44	0	@ad<="20031230" sdma same (transmission near6 criter\$4) exchang\$2 with set\$2	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:20
S45	0	@ad<="20031230" sdma same (transmission near6 criter\$4) exchang\$2 with set\$2	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:20

S46	0	@ad<="20031230" sdma same (transmission near6 criter\$4) exchang\$2 same set\$2	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:20
S47	0	@prad<="20031230" sdma same (transmission near6 criter\$4) exchang\$2 same set\$2	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:20
S48	0	@rlad<="20031230" sdma same (transmission near6 criter\$4) exchang\$2 same set\$2	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:20
S49	0	@rlad<="20031230" sdma same (transmission near6 criter\$4) exchang\$2 set\$2	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:20
S50	0	@rlad<="20031230" sdma same (transmission near6 criter\$4) exchang\$2	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:20
S51	0	@rlad<="20031230" sdma same (transmission near6 criter\$4) chang\$4 with set\$2	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:21
S52	0	@ad<="20031230" sdma same (transmission near6 criter\$4) chang\$4 with set\$2	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:21
S53	0	@ad<="20031230" sdma same (transmission near6 criter\$4) chang\$4 same set\$2	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:21
S54	0	@ad<="20031230" sdma same (transmission near6 criter\$4) chang\$4 set\$2	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:21
S55	1	@ad<="20031230" sdma same (transmission near6 criter\$4)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:21

S56	16	@ad<="20031230" sdma (transmission near6 criter\$4)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:45
S57	1	@ad<="20031230" (sdma with set\$2) same exchang\$4	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:48
S58	81	@ad<="20031230" sdma set\$2 same exchange \$4	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:49
S59	2	@ad<="20031230" sdma (set\$2 same exchange \$4) with orthogonal	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:49
S60	36	@ad<="20031230" sdma (set\$2 same exchange \$4) orthogonal	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:49
S61	10	@ad<="20031230" sdma (set\$2 same exchange \$4) criter\$5 same select\$5	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/11 15:44
S62	1	@ad<="20031230" sdma same (set\$2 with exchang\$4) criter\$5 same select\$5	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/11 15:47
S63	3	@ad<="20031230" sdma (set\$2 with exchange \$4) criter\$5 same select\$5	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/11 15:47
S64	75	@ad<="20031230" sdma (set\$2 with chang\$4) criter\$5 same select\$5	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/11 15:48
S65	0	@ad<="20031230" sdma same (set\$2 with chang\$4) criter\$5 same select\$5	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/11 15:48

S66	67	@ad<="20031230" sdma (set\$2 with chang\$4) criter\$5 with select\$5	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/11 15:48
S67	2	@ad<="20031230" sdma (set\$2 with exchange \$4) criter\$5 with select\$5	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/11 15:55
S68	11	@ad<="20031230" sdma (set\$2 with exchange \$4) criter\$5 select\$5	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/11 15:55
S69	11	@ad<="20031230" sdma (set\$2 with exchange \$4) criter\$5	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/11 15:57
S70	45	@ad<="20031230" sdma (set\$2 with exchange \$4)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/11 15:58
S71	12	@ad<="20031230" sdma (set\$2 with exchange \$4) 370/206-210,212,329,441,442,319-321. cccls.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/13 12:04
S72	7	@ad<="20031230" sdma (set\$2 with exchange \$4) 370/322,334,335,337,349.ccls.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/13 12:05
S73	9	@ad<="20031230" sdma (set\$2 with exchange \$4) 455/454,456,2,560,525,562.1.ccls.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/13 12:05
S74	0	@ad<="20031230" sdma (transmission near6 criter\$4) 375/347,343,130,141,146-149.ccls.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/13 12:06
S75	0	@ad<="20031230" sdma (set\$2 same exchange \$4) orthogonal 375/347,343,130,141,146-149	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/13 12:07

S76	0	@ad<="20031230" sdma (set\$2 with chang\$4) criter\$5 with select\$5 375/347,343,130,141,146-149	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/13 12:07
S77	2	@ad<="20031230" sdma (set\$2 with chang\$4) criter\$5 with select\$5 375/347,343,130,141,146-149.ccls.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/13 12:07
S78	0	sdma (set\$2 with chang\$4) criter\$5 with (select \$5 near4 data near4 buffer)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/24 11:53
S79	0	sdma (set\$2 with chang\$4) criter\$5 with (select \$5 near4 buffer)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/24 11:53
S80	1	orthogonal with set criter\$5 with (select\$5 near4 buffer)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/24 11:53
S81	86	orthogonal with set select\$5 with (data near4 buffer)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/24 11:54
S82	0	orthogonal sdma (select\$5 near5 set) with (data near4 buffer)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/24 11:54
S83	1	sdma (select\$5 near5 set) with (data near4 buffer)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/24 11:55
S84	7	(sdma or ofdm) (select\$5 near5 set) with (data near4 buffer)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/24 11:56
S85	2	(select\$5 near5 set) amount with (data near4 buffer) sdma	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 13:54

S86	0	(select\$5 near5 set) with sdma amount with (data near4 buffer)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 13:55
S87	0	(select\$5 with set) same sdma amount with (data near4 buffer)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 13:55
S88	1	(select\$5 with set) same sdma criteri\$4 with (data near4 buffer)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 13:55
S89	107	(select\$5 with set) criteri\$4 with (data near4 buffer)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 13:57
S90	76	S89 @ad<="20031230"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 13:57
S91	11	S89 @ad<="20031230" wireless	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 13:57
S92	512	@ad<="200311230" (select\$5 near4 set) with criteri\$4 (data near4 buffer\$2)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:01
S93	398	@ad<="200311230" (select\$5 near4 set) with criteri\$4 (data near2 buffer\$2)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:01
S94	240	@ad<="20031230" (select\$5 near4 set) with criteri\$4 (data near2 buffer\$2)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:01
S95	3	@ad<="20031230" (select\$5 near4 set) with criteri\$4 (data near2 buffer\$2) sdma	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:02



S96	0	@r1ad<="20031230" (select\$5 near4 set) with criteri\$4 (data near2 buffer\$2) sdma	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:02
S97	0	@prad<="20031230" (select\$5 near4 set) with criteri\$4 (data near2 buffer\$2) sdma	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:02
S98	0	@prad<="20031230" (select\$5 near4 set) with criteri\$4 (data near2 buffer\$2) odma	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:02
S99	0	@prad<="20031230" (select\$5 near4 set) with criteri\$4 (data near2 buffer\$2) discrete with multitone	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:03
S100	0	@prad<="20031230" (select\$5 near4 set) with criteri\$4 (data near2 buffer\$2) dmt	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:03
S101	466	@prad<="20031230" (select\$5 near4 criteri\$4) (data near2 buffer\$2)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:03
S102	0	@rad<="20031230" (select\$5 near4 set) with criteri\$4 (data near2 buffer\$2) odma	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:03
S103	3	@ad<="20031230" select\$5 with criteri\$4 (data near2 buffer\$2) odma	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:04
S104	1	@r1ad<="20031230" select\$5 with criteri\$4 (data near2 buffer\$2) odma	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:04
S105	2	@prad<="20031230" select\$5 with criteri\$4 (data near2 buffer\$2) odma	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:05

S106	5	@prad<="20031230" select\$5 with criteri\$4 (data near2 buffer\$2) sdma	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:05
S107	11	@ad<="20031230" (select\$5 with set) same criteri\$4 sdma buffer\$4	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:06
S108	8	@rlad<="20031230" (select\$5 with set) same criteri\$4 sdma buffer\$4	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:09
S109	0	@prad<="20031230" (select\$5 with set) same criteri\$4 sdma buffer\$4	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:09
S110	0	@rlad<="20031230" (select\$5 with set) same criteri\$4 odma buffer\$4	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:09
S111	0	@ad<="20031230" (select\$5 with set) same criteri\$4 odma buffer\$4	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:09
S112	0	@prad<="20031230" (select\$5 with set) same criteri\$4 odma buffer\$4	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:10
S113	88	@prad<="20031230" (select\$5 with set) same criteri\$4 buffer\$4 wireless	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:10
S114	20	@prad<="20031230" (select\$5 near4 set) with criteri\$4 buffer\$4 wireless	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:10
S115	288	@ad<="20031230" (select\$5 near4 set) with criteri\$4 buffer\$4 wireless	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:10

S116	19	@ad<="20031230" (select\$5 near4 set) with criteri\$4 buffer\$4 with capacit\$4 wireless	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:10
S117	6	@ad<="20031230" (select\$5 near4 set) with (criteri\$4 near4 buffer\$4)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:12
S118	2	@rlad<="20031230" (select\$5 near4 set) with (criteri\$4 near4 buffer\$4)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:13
S119	2	@prad<="20031230" (select\$5 near4 set) with (criteri\$4 near4 buffer\$4)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:13
S120	3	@prad<="20031230" (select\$5 with set) same (criteri\$4 near6 buffer\$4)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:13
S121	30	@ad<="20031230" (select\$5 with set) same (criteri\$4 near6 buffer\$4)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:14
S122	12	@rlad<="20031230" (select\$5 with set) same (criteri\$4 near6 buffer\$4)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:25
S123	3	@prad<="20031230" (select\$5 with set) same (criteri\$4 near6 buffer\$4)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:26
S124	10	((select\$5 with set) same (criteri\$4 near6 buffer \$4)).clm.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:26
S125	1	((select\$5 near4 set) with criteri\$4 (data near2 buffer\$2) sdma).clm.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:29

S126	1	((select\$5 near4 set) criter\$4 (data near2 buffer\$2) sdma).clm.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:29
S127	1174	select\$4 with (buffer\$4 near5 transmiss\$4 near5 data)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:31
S128	20	select\$4 with (buffer\$4 near5 transmiss\$4 near5 data near4 capacit\$4)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:32
S129	3154	@ad<="20031230" (select\$4 with user\$2) (buffer\$4 near5 capacit\$4)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:34
S130	5	@ad<="20031230" (select\$4 near4 user\$2) with (buffer\$4 near5 capacit\$4) with transmission	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:34
S131	32	@ad<="20031230" (select\$4 near4 user\$2) with (buffer\$4 near5 capacit\$4)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:35
S132	14	@rlad<="20031230" (select\$4 near4 user\$2) with (buffer\$4 near5 capacit\$4)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:38
S133	9	@prad<="20031230" (select\$4 near4 user\$2) with (buffer\$4 near5 capacit\$4)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:38
S134	2610	@ad<="20031230" (select\$4 near4 user\$2) (buffer\$4 near5 capacit\$4)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:40
S135	47	@ad<="20031230" (select\$4 near4 user\$2) (buffer\$4 near5 data) with (ready near4 transmi\$5)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:41

S136	33	@rlad<="20031230" (select\$4 near4 user\$2) (buffer\$4 near5 data) with (ready near4 transmi\$5)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:45
S137	14	@prad<="20031230" (select\$4 near4 user\$2) (buffer\$4 near5 data) with (ready near4 transmi\$5)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/25 14:46
S138	0	@ad<="20031230" sdma criter\$5 with (select\$5 near3 (queue or buffer) near3 status)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/07/08 12:10
S139	0	@ad<="20031230" sdma criter\$5 with (select\$5 near3 (queue or buffer))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/07/08 12:10
S140	5	@ad<="20031230" criter\$5 with (select\$5 near3 (queue or buffer) near3 status)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/07/08 12:10
S141	307	@ad<="20031230" criter\$5 with (select\$5 near3 (queue or buffer))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/07/08 12:14
S142	0	@ad<="20031230" criter\$5 with (select\$5 near3 (queue or buffer)) sdma	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/07/08 12:14
S143	19	@ad<="20031230" criter\$5 with (select\$5 near3 (queue or buffer)) (group or use\$4) with delivery	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/07/08 12:14
S144	29	@ad<="20031230" criter\$5 with (select\$5 near3 (queue or buffer)) (set or use\$4) with delivery	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/07/08 12:16
S145	0	@ad<="20031230" criter\$5 with (select\$5 near3 (queue or buffer)) (group near4 use\$4) with delivery	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/07/08 12:16

S146	44	@ad<="20031230" criter\$5 with (select\$5 near3 (queue or buffer)) (group near4 use\$4)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/07/08 12:16
S147	0	@ad<="20031230" (select near4 user\$2 near4 set\$2) same (data near3 buffered)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/07/08 12:21
S148	14	@ad<="20031230" (select near4 user\$2) same (data near3 buffered)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/07/08 12:21
S149	106	@ad<="20031230" (select near4 user\$2 near4 group\$2) (data near3 (buffered or queue\$2))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/07/08 12:22
S150	80	@ad<="20031230" (select near2 user\$2 near4 group\$2) (data near3 (buffered or queue\$2))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/07/08 12:23
S151	54	@ad<="20031230" (select near2 user\$2 near2 group\$2) (data near3 (buffered or queue\$2))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/07/08 12:23
S152	2892	@ad<="20031230" (select\$4 near2 group\$2) (data near3 (buffered or queue\$2))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/07/08 12:24
S153	129	@ad<="20031230" (select\$4 near2 user\$2 near2 group\$2) (data near3 (buffered or queue\$2))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/07/08 12:25
S154	57	@ad<="20031230" (select\$4 near2 user\$2 near2 group\$2) data near3 buffered	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/07/08 12:26
S155	4	@ad<="20031230" (select\$4 near2 user\$2) with (amount near4 data near3 buffered)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/07/08 12:29

## **EAST Search History (Interference)**

< This search history is empty >

**7/ 8/ 2009 2:09:53 PM**

**C:\Documents and Settings\rjain1\My Documents\EAST\Workspaces\10749175.wsp**